



ALBEN

10%

TREAT ALL WORMS IN RUMINANTS...



**...WITH A 10% ALBENDAZOLE-BASED
LIQUID INTERNAL ANTIPARASITIC**





RUMINANTS

INTERNAL
ANTIPARASITICS

ALBEN

10%



INDICATIONS

Treatment

Prevention



Roundworms

Oesophagostomum

- Gastrointestinal nematodes (adults and L4 larvae): *Ostertagia ostertagi*, *Haemonchus*, *Cooperia* et *Strongyloides* spp.
- Lungworms: *Dictyocaulus viviparus*.



Tapeworms

Moniezia spp.



Liver Flukes

Adult liver flukes:
Fasciola hepatica.



COMPOSITION

1 L of solution

ALBENDAZOLE100g

Excipients q.s. to 1L



ADMINISTRATION



PHARMACEUTICAL FORM

Oral Route



Direct Oral
Administration

Oral Solution



DOSAGE



Roundworms & Tapeworms: 10 mL per 100 kg BW

Liver Flukes: 10 mL per 100 kg BW



Roundworms & Tapeworms: 10 mL pour 100 kg PV

Liver Flukes: 7,5 mL pour 100 kg PV

Dilution: Use undiluted or diluted in drinking water

Duration of Use



Single dose

Administration schedule

- At the beginning of the rainy season, followed by a booster dose 15 days later
- Before vaccination, at weaning, before parturition and before mating



WITHDRAWAL PERIODS



MILK
DO NOT USE IN SHEEP PRODUCING
MILK FOR HUMAN CONSUMPTION



MEAT AND OFFAL
17 DAYS



PRESENTATIONS



Solution
Oral
1L Can

