

**INTERNAL
ANTIPARASITICS**

LEVALOBS 200

**RUMINANTS
SWINE - POULTRY**



**TREAT ROUNDWORMS
IN RUMINANTS, POULTRY
AND SWINE...**



**...WITH A LEVAMISOLE-BASED
INTERNAL ANTIPARASITIC IN
POWDER FORM**





**RUMINANTS
SWINE - POULTRY**

**INTERNAL
ANTIPARASITICS**

LEVALOBS 200



INDICATIONS

Treatment

Prevention



Roundworms

- : *Ascaridia spp.*, *Hétérakis spp.*, *Capilaria spp.*, *Amidostomum anseris*.
 : *Trichostrongylus spp.*, *Cooperia spp.*, *Ostertagia ostertagi*, *Haemonchus spp.*, *Nematodirus spp.*,
Bunostomum spp., *Oesophagostomum spp.*, *Chabertia ovina*
 : *Ascaris suum*, *Strongyloides ransomi*, *Oesophagostomum spp.*, *Metastrongylus spp.*



COMPOSITION

One packet of 100g

LEVAMISOLE (as hydrochloride)..... 20g

Excipients.....q.s. to 100g



ADMINISTRATION



PHARMACEUTICAL FORM

Orale Route



Drinking Water

Powder for Oral Solution



DOSAGE



1 g of LEVALOBS 200 per litre of drinking water.



0,37 g of LEVALOBS 200 per 10 kg BW, diluted in a small amount of water.

Duration of Use



Single dose

Administration Schedule

- At the beginning of the rainy season, with a booster treatment 15 days later
- Before vaccination, at weaning, before parturition, before breeding...



WITHDRAWAL PERIODS



**DO NOT USE IN ANIMALS
PRODUCING MILK FOR
HUMAN CONSUMPTION**



Oral



**DO NOT USE IN LAYING
HENS DURING THE 4
WEEKS BEFORE THE
ONSET OF LAYING OR
DURING THE LAYING
PERIOD**



Oral



**MEAT AND
OFFAL
3 DAYS**



PRESENTATIONS



Powder



Oral Solution



100 g Sachet



Box of 25 Sachets



Powder



Oral Solution



1 kg Jar

