

**INTERNAL
ANTIPARASITICS**

POULTRY



LOBIFUGE VOLAILLE

***TREAT WORMS IN
POULTRY...***



***...WITH A NICLOSAMIDE-BASED
INTERNAL ANTIPARASITIC
IN TABLET FORM***





POULTRY

INTERNAL
ANTIPARASITICS

LOBIFUGE VOLAILLE



INDICATIONS

Treatment

Prevention



Roundworms

Gastrointestinal nematodes: *Ascaridia* spp, *Hétérakis* spp, *Capillaria* spp.
Larvae and adults



Tapeworms

Cestodes



COMPOSITION

One Tablet 

NICLOSAMIDE 160mg

LEVAMISOLE (as hydrochloride) 40mg

VITAMIN A 60UI

VITAMIN D3 10UI

Excipients q.s. to 1 tablet



ADMINISTRATION



PHARMACEUTICAL FORM

Oral Route



Administer directly
into the beak

Tablet



DOSAGE



1/2 tablet per 1 kg BW



1 tablet per 2 kg BW

Duration of Use



**1 to 2 administrations at
15–40 day intervals**



WITHDRAWAL PERIODS



**EGGS
5 DAYS**



**MEAT AND OFFAL
7 DAYS**



PRESENTATIONS



X100

 Scored Tablet

 Oral

 100-Tablet Jar

