

ANTI-INFECTIVES

**RUMINANTS
SWINE - POULTRY**



OXYMEG 50

**TREAT INFECTIONS CAUSED BY
OXYTETRACYCLINE-SENSITIVE
BACTERIA...**



**...WITH A POWDER CONTAINING
OXYTETRACYCLINE AS ITS
SOLE ANTIBIOTIC**





RUMINANTS
SWINE - POULTRY

OXYMEG 50



INDICATIONS

Treatment



Bacteria

Oxytetracycline-sensitive bacteria



COMPOSITION

Packet of 100g

OXYTETRACYCLINE HYDROCHLORIDE..... 50g

Excipients.....q.s. to 100g



ADMINISTRATION



PHARMACEUTICAL FORM

Oral Route



Drinking Water



Feed



Pellets for Oral Solution



Pellets for Medicated Feed



DOSAGE



100 g per 250 L of drinking water

Duration of Use



For 3-7 days



Pre-ruminant Calves,
Lambs and Kids:



40 mg/kg BW

Duration of Use



**Every 12 hours
For 3-5 days**



100 g per 100 L of drinking water

Duration of Use



For 4-6 days



WITHDRAWAL PERIODS



**MEAT AND OFFAL
7 DAYS**

Avoid use in pregnant females.



PRESENTATIONS



- Powder
- Oral solution or feed
- 100 g sachet
- Box of 25 sachets



- Powder
- Oral solution or feed
- 1 kg jar

